


HOW DO WE KNOW IF TECHNOLOGY DOING WHAT IT NEEDS TO DO?

EDHI Conference
Louisville
March 8, 2015

Jane R. Madell, PhD,
CCC A/SLP, LSLS Cert AVT
www.JaneMadell.com




www.JaneMadell.com

LEARNING OBJECTIVES

As a result of this continuing education activity, participants will be able to:


- Determine what type of technology is appropriate
- Determine if children are receiving appropriate benefit from technology
- Determine when new technology is needed
- Determine how to use technology information to optimize management



www.JaneMadell.com

TECHNOLOGY IS A MEANS TO AN END


- The goal of technology
 - To provide access to sound sufficient to
 - Develop the auditory brain
 - Hear and learn language
 - Build literacy skills
 - Develop social skills



www.JaneMadell.com

COMPONENTS OF SUCCESS


- Language at age level
- Literacy at age level
- Socialization skills at age level



www.JaneMadell.com

WHAT DOES IT TAKE TO GET THERE?

- The better you hear the better you learn
- Early identification
- Early, **appropriately fit** technology
- Full time use of technology
- Therapy, preferably auditory based, involving family
- Family support
- Language rich environment
- Opportunities to learn
- Educational program willing and able to make the necessary adaptations for maximizing learning



www.JaneMadell.com

GOAL OF ASSISTIVE TECHNOLOGY

- Reduce sensory deprivation
- Provide auditory access sufficient for auditory learning
- Improve auditory access to language
- Maximize use of residual hearing
- Lay foundation for academic learning using audition
- Facilitate information access/extended learning/incidental learning
- Facilitate socialization
- Safety
- Comfort




www.JaneMadell.com

AMPLIFICATION ASSUMPTIONS

- Appropriate amplification is the most important habilitative tool available for children with hearing loss
- While appropriate technology is critical, it is not sufficient by itself. Technology should be part of a program including auditory therapy and parent counseling to permit parents to be their babies primary teachers.


www.JaneMadell.com



AMPLIFICATION ASSUMPTIONS

- The amplification system of choice is dependent on the child, communication environment, as well as the hearing loss
- Standard hearing aids work well for children with mild to moderately-severe hearing loss when talker and listener are close and it is quiet.
- Cochlear implants work well for children with severe and profound hearing loss.
- If a child is not receiving sufficient auditory access with hearing aids, consider cochlear implants

www.JaneMadell.com



AMPLIFICATION ASSUMPTIONS

- An FM system will improve auditory access for every person with impaired auditory function by reducing the negative effects of distance and noise.

www.JaneMadell.com



FIRST YOU HAVE TO HEAR WELL

www.JaneMadell.com



THE BETTER YOU HEAR, THE BETTER YOU LEARN

- Yes, the kids have a hearing loss
- Yes, they are fit with technology
- Is the technology appropriately set?
- Are they wearing it? How much?
- IS THE TECHNOLOGY DOING WHAT IT NEEDS TO DO?
 - Never assume
 - If you don't test, you don't know

www.JaneMadell.com



HEARING

- Hearing is a first-order event for the development of spoken communication and literacy skills.
- Anytime the word "hearing" is used, think "**auditory brain development**"!!
- Acoustic accessibility of *intelligible* speech is essential for brain growth.
- Signal-to-Noise Ratio is the key to hearing intelligible speech.
- *Our early intervention programs and classrooms must take into consideration the listening capabilities and acoustic access of our children.*


www.JaneMadell.com



HOW MUCH PRACTICE IS NEEDED TO INFLUENCE NEURAL STRUCTURE?

- Malcolm Gladwell: 10,000 hours of practice
- Hart and Risley: 46 million words heard by age 4
- Dehaene: 20,000 hours of listening as a basis for reading
- Pittman: Children with hearing loss require three times the exposure to learn new words and concepts due to the reduced acoustic bandwidth caused by the hearing loss


www.JaneMadell.com



Hart and Risley (1995)

	PARENTS			CHILDREN		
	Professional	Working class	Welfare	Professional	Working class	Welfare
IQ age 3				117	107	79
Vocab size	2,179	1,498	974	1,116	749	525
Average Utterances per hour	487	301	176	310	223	168
Average Diff Words per Hour	382	251	167	297	216	149
Average Words per Hour	2,153	1,251	616			
Average Words per 14 hour day	30,142	17,514	8,624			





Hart, B and Risley, T.T (1995) *Meaningful Differences in the Everyday Experience of Young American Children*, Baltimore: Paul H. Brooks Publishing Co, Inc



Hart and Risley (1995)

	PARENTS			CHILDREN		
	Professional	Working class	Welfare	Professional	Working class	Welfare
IQ age 3				117	107	79
Vocab size	2,179	1,498	974	1,116	749	525
Average Utterances per hour	487	301	176	310	223	168
Average Diff Words per Hour	382	251	167	297	216	149
Average Words per Hour	2,153	1,251	616			
Average Words per 14 hour day	30,142	17,514	8,624			


Hart, B and Risley, T.T (1995) *Meaningful Differences in the Everyday Experience of Young American Children*, Baltimore: Paul H. Brooks Publishing Co, Inc

ACOUSTIC ACCESS TO THE BRAIN

- Access is the biggest problem for all degrees of hearing loss.
- Hearing aids, FM systems and cochlear implants are “brain access” tools.
- Technology must be programmed to today’s possibilities.
- **Evidence must be obtained**, daily that the technology is functioning appropriately.
- **If the child is not progressing as expected – and everyone has very high expectations – suspect the technology first.**


www.JaneMadell.com



AUDITORY ACCESS

- It is critical that children have good auditory access to facilitate auditory brain development and to enable them to use audition to learn language.
- Good auditory access requires
 - That a child hear all phonemes throughout the frequency range.
 - That the child hear sound at the top of the speech banana
 - That the child hear normal and soft speech
 - That the child hear in noise
 - That the child hear for many hours during the day


www.JaneMadell.com



WHY IS AUDIOLOGIC INFORMATION CRITICAL?

- **Because of advances in technology and new research about brain neuroplasticity**,
 - the landscape of deafness has changed.
 - the audiologist’s role has expanded in pediatrics
 - families, audiologists, listening and spoken language specialists, speech-language pathologists and teachers of the deaf need to be sure they are stimulating auditory brain development


www.JaneMadell.com



HOW DOES THE AUDITORY BRAIN WORK?

- The auditory cortex is directly involved in speech perception and language processing in humans (Kretzmer et al., 2004).
- Normal maturation of central auditory pathways is a precondition for the normal development of speech and language skills in children (Sharma et al., 2009).
- Important changes have been shown in the higher auditory centers due to hearing loss/deafness.

www.JaneMadell.com



KEY POINTS

- Hearing is a first-order event for the development of spoken communication and literacy skills.
- Anytime the word “hearing” is used, think “**auditory brain development**”!!
- Acoustic accessibility of *intelligible* speech is essential for brain growth.
- Signal-to-Noise Ratio is the key to hearing intelligible speech.


www.JaneMadell.com



WHAT DOES THE TECHNOLOGY NEED TO BE DOING TO MEET THE NEEDS OF ACOUSTIC ACCESSIBILITY?

- The child needs to hear throughout the frequency range
 - 6000 and 8000 Hz really do matter
 - Missing high frequencies results in missing grammatical markers for pluralization, possessives, and missing non-salient morphemes (eg morphemes that are not stressed during conversation –eg prepositions)
- The child needs to hear at a soft enough level
 - Soft speech is about 30-35 dBHL.
 - If a child cannot hear soft speech, she will not hear
 - Peers in the classroom or on playground
 - Will not “overhear” conversation and will have limited incidental learning
 - Will have reduced language and literacy skills
 - Moeller (2011) reported that in her research 40% of children fit with hearing aids were underfit.
- Aided thresholds at 0 dB is not the goal
- Aided thresholds at 20 dB is the goal


www.JaneMadell.com



TECHNOLOGY NEEDS TO BE DISTORTION FREE

- Kids with HL have more difficulty managing distortion
- Sources of distortion in the technology
 - Does activation from the special features of technology cause distortion?
 - Timing and activation of special features could cause issues
 - Activation of some of these features may reduce audibility of some of the frequency range
- If the child is not making progress, consider
 - Distortion from each piece of technology or between pieces of technology
 - HA and FM
 - CI and FM
 - HA and CI
 - FM input
 - Personal FM and SF


www.JaneMadell.com



EXTERNAL DISTORTION

- Noise and reverberation
 - What effects do noise and reverberation have on the hearing aid?
 - What does noise do to the technology?

www.JaneMadell.com



WHAT DO INFANTS AND CHILDREN NEED TO HEAR?


www.JaneMadell.com



Vowel Frequency Bands


POSITION	VOWEL		1 ST FORMANT	2 ND FORMANT
Front	Who	u	430	1170
	Would	ɔ	540	1410
	Know	o	760	1250
	More	ɔ	840	1060
Middle	Of	ɔ	1030	1370
	Art	a	1020	1750
	Must	ɔ	850	1590
	Learn	ɔ	580	1740
Back	And	æ	1010	2320
	Then	ɔ	690	2610
	Take	e	610	2680
	His	ɔ	530	2730
	Ease	æ	370	3200

www.JaneMadell.com




Consonant Frequency Bands

p			1500-2000	
b	300-400		2000-2500	
t			2500-3500	
d	300-400		2500-3000	
k			2000-2500	
g	200-300		1500-2500	
m	250-350	1000-1500	2500-3500	
n	250-400	1000-1500	2000-3000	
ŋ	250-350			4500-6000
f				4000-5000
v	300-400			3500-4500
s				5000-6000
z	200-300			4000-5000
ʃ			1500-2000	4500-5500
ʒ	200-300			4000-4500
θ				6000
ð				5000
tʃ			1500-2000	4500-5000
dʒ	200-300		1500-2000	
h			2000-2500	
r	600-800	1000-1500	1800-2400	
l	250-400	www.JaneMadell.com	2000-3000	




Consonant Frequency Bands

p			1500-2000	
b	300-400		2000-2500	
t			2500-3500	
d	300-400		2500-3000	
k			2000-2500	
g	200-300		1500-2500	
m	250-350	1000-1500	2500-3500	
n	250-400	1000-1500	2000-3000	
ŋ	250-350			4500-6000
f				4000-5000
v	300-400			3500-4500
s				5000-6000
z	200-300			4000-5000
ʃ			1500-2000	4500-5500
ʒ	200-300			4000-4500
θ				6000
ð				5000
tʃ			1500-2000	4500-5000
dʒ	200-300		1500-2000	
h			2000-2500	
r	600-800	1000-1500	1800-2400	
l	250-400	www.JaneMadell.com	2000-3000	




If The Child Is Not Progressing As Expected

- Suspect technology first
 - Is the child hearing well enough with the technology?
 - Is the child hearing high frequencies
- Is the child wearing technology consistently?
 - If a child is using technology 4 hrs/day it will take 6 years for the child to hear what a typically hearing child hears in one year.
- Does the family have appropriate expectations?
 - Are they requiring full time use of technology?
 - Are they providing auditory stimulation
 - Do they expect the child to listen and talk
- Do the clinicians working with the child have appropriate auditory expectations?

www.JaneMadell.com 

TEST PROTOCOLS

www.JaneMadell.com 


TEST PROTOCOL

To determine OPTIMAL speech perception

- test at a loud level


To ASSESS DAILY FUNCTIONING test at

- Normal conversational level (50 dBHL)
- Soft conversational level (30-35 dBHL)
- Normal conversation in competing noise (+5 SNR)
 - Noise needs to be realistic – eg four talker babble
 - Classroom noise level is +5 SNR
- When testing auditory processing add
 - 50 dB at 0 SNR
 - 35 dB at 0 SNR


www.JaneMadell.com 

TEST CONDITIONS

- Why do we need to test more than one condition?
 - Knowing a person hears loud speech well is only part of the information we need.
 - Can he hear sufficiently well in quiet?
 - Can she hear sufficiently well in noise?


www.JaneMadell.com 

	Mean score
50 dB in quiet	84%
35 dB in quiet	56%
50 dB +5 S/N	58%
50 dB 0 S/N	46%
35 dB 0 S/N	34%

www.JaneMadell.com 

SPEECH IN NOISE NORMS


Condition	CA	List	N	Male			Female			
				WR%	SD	95% CI	N	WR%	SD	95% CI
Quiet 50 dB	3-5	NU-C	14	98	3.7	96-100	12	98	3.2	96-100
Quiet 50 dB	6-8	PBK	13	98	3.1	97-100	12	98	3.2	96-100
Quiet 50 dB	9+	W-22	13	99	1.9	98-100	6	96	5.1	92-100
Quiet 35 dB	3-5	NU-C	19	95	5.2	92-97	13	96	4.8	93-98
Quiet 35 dB	6-8	PBK	23	97	3.7	95-98	24	98	3.1	97-99
Quiet 35 dB	9+	W-22	17	98	2.8	97-100	9	96	4.2	93-98
50 @ +5 SNR	3-5	NU-C	28	93	4.6	91-95	16	94	4.1	92-96
50 @ +5 SNR	6-8	PBK	13	94	4.5	92-96	25	95	5.1	93-97
50 @ +5 SNR	9+	W-22	17	97	4.1	95-99	7	93	3.8	90-96
50 @ 0 SNR	3-5	NU-C	23	91	6.9	88-94	17	92	6.5	89-95
50 @ 0 SNR	6-8	PBK	18	91	5.4	89-93	28	93	6.0	90-95
50 @ 0 SNR	9+	W-22	19	95	4.7	93-97	11	93	4.8	91-96
35 @ 0 SNR	3-5	NU-C	23	90	6.1	87-93	16	92	6.0	89-94
35 @ 0 SNR	6-8	PBK	28	91	6.2	88-93	28	90	6.1	87-92
35 @ 0 SNR	9+	W-22	18	91	6.2	88-94	11	90	7.0	86-94

www.JaneMadell.com 


BY TESTING IN MORE DIFFICULT CONDITIONS

- We can get a more realistic picture of every day performance
- Make better decisions about performance
- Better indication of habilitation needs
- Make better educational placement recommendations
- Raise expectations for patients with HL
- Better determination about who needs to move to a CI
- Provide better research


www.JaneMadell.com



THE AUDIOLOGY FRUIT




www.JaneMadell.com




Mueller And Killion - 2010

SII Count-the-Dots Audiogram Form




www.JaneMadell.com




The SII-Based Method for Estimating the Articulation Index

SII Count-the-Dots Audiogram Form



www.JaneMadell.com



CAN WE CALL IT THE SPEECH BEAN?




www.JaneMadell.com



HOW DO WE KNOW THAT THE CHILD'S TECHNOLOGY IS PROVIDING SUFFICIENT ACOUSTIC ACCESSIBILITY?

- Evidence obtained in the sound room
 - Thresholds
 - Speech perception tests
- Evidence of a child's progress in attaining desired outcomes
 - One year progress in one year
- Parental observation of listening and learning at home
- Therapist/teacher observations
- Lena


www.JaneMadell.com



DEMONSTRATING AMPLIFICATION BENEFIT

- Electroacoustic measurements
- Real ear measurements
 - Establish targets
 - Test HA in standard way.
 - Test FM microphone
 - Test HA and FM separately and together
- Are we done yet?
- What does real ear tell you about what the child hears?


www.JaneMadell.com



WHY TEST FUNCTIONAL GAIN?

- Electroacoustic testing does not provide information about how a child hears.
- Is the child aware of sound?
- Does the child attend to sound?
 - At what levels?
- Does the child use the information?
- Is it clear? Distorted?


www.JaneMadell.com



HOW DO WE KNOW AUDITORY ACCESS IS SUFFICIENT?

- Aided thresholds at 20-25 dB throughout the frequency range
- Speech perception at good to excellent levels
 - At normal conversational levels
 - At soft conversational levels
 - In quiet and in noise.


www.JaneMadell.com



TEST CONDITIONS WITH TECHNOLOGY

- Aided thresholds – 250-8000 Hz
 - Right, Left
- Speech perception
 - Normal conversation (50 dBHL)
 - Right, left, binaural
 - Soft conversation (35 dBHL)
 - Binaural
 - Right, left if time permits
 - Normal conversation in noise (50 dBHL +5 SNR)
 - Binaural
 - Right, left if time permits

www.JaneMadell.com




AIDED TEST RESULTS

	RIGHT TECHNOLOGY	LEFT TECHNOLOGY	BINAURAL TECHNOLOGY
AIDED THRESHOLDS 250-8000 HZ	✓	✓	
SPEECH PERCEPTION 50 dBHL	✓	✓	✓
35 dBHL	✓	✓	✓
50 dBHL + 5 SNR	✓	✓	✓

Essential
 If time permits


www.JaneMadell.com



IS AUDITORY ACCESS SUFFICIENT?

- Technology thresholds – 20-25 dBHL
 - If not sufficient,
 - Reprogram or change technology
 - Acoustically-tuned earmolds
 - Remote microphone is not a substitute for well programmed primary technology
 - YES, YOU CAN PERFORM AIDED THRESHOLD TESTING
 - Present from below expected threshold
 - Short presentation will not turn on compression


www.JaneMadell.com



WHAT CAN PARENTS DO?

- Teach parents how to identify how well the baby is hearing.
- Stimulate child at ear level with each of the Ling sounds
 - Put hearing aids on in morning
 - Turn them on,
 - Stimulate with one Ling sound
 - Ah, ah, ah
 - Observe child to see response
 - Each day choose a different sound
 - Report back to the audiologist which sounds the child can hear
- If child hears /a/, /u/ /i/ but not /sh/ or /s/ what do we do?
- Listen to therapists if they say there is a problem
- Audiologist should adjust hearing aid settings based on what the child is and is not hearing.


www.JaneMadell.com



IS SPEECH PERCEPTION SUFFICIENT?

- What is good enough?
- The goal is 90-100% in all conditions
 - At least at normal conversation
 - Good (80-89%) for soft speech and speech in noise

www.JaneMadell.com




SUGGESTED SCORING - SPEECH PERCEPTION

Madell et al 2010

• Excellent	90-100%
• Good	80-89%
• Fair	70-79%
• Poor	< 70%

www.JaneMadell.com



IF SPEECH PERCEPTION IS NOT GOOD

- Are aided thresholds sufficiently soft in each ear?
- Is child using the technology full time?
- Is the child receiving auditory based language stimulation
- Review therapy
- Help parents improve language stimulation skills

www.JaneMadell.com



MAKING TECHNOLOGY DECISIONS


www.JaneMadell.com



WHO NEEDS TECHNOLOGY?

- Any child who has poorer than 15 dB thresholds in either ear
- Any child with insufficient auditory access
 - Less than excellent speech perception (90-100%)
 - At normal conversation
 - At soft conversation
 - In competing noise

www.JaneMadell.com



WHO NEEDS TECHNOLOGY?

- Mild to profound hearing loss
 - Mild hearing loss?
 - Immediately?
 - After 6 months?
 - When mobile?
 - Does it depend on the auditory environment?
- Unilateral hearing loss
- Auditory neuropathy spectrum disorder
- Poor speech perception

www.JaneMadell.com



WHEN IS TECHNOLOGY NEEDED?

- Difficult listening situations
 - School
 - Car
 - Dinner table
- When sick or tired
- When hearing is fluctuating
- Any situation in which listening is critical


www.JaneMadell.com



WHEN IS TECHNOLOGY NEEDED?

- *If a child wears hearing aids 4 hours/day it will take 6 years for the child to hear what a child with normal hearing hears in one year.*
- Always?
- Awake hours?
- When being held?
- Is there a difference in need to listen between younger and older infants?
 - Between infants and toddlers?
 - Toddlers and older kids?
 - Tweens, and teens?

www.JaneMadell.com



FACTORS TO CONSIDER IN SELECTING TECHNOLOGY

- Age
- Degree of hearing loss
- Auditory environment
- Educational environment
- Special needs
- Family needs


www.JaneMadell.com



MONAURAL VS BINAURAL

- Fit MONAURALLY
 - When significant differences between ears
 - **And** poorer ear cannot be made to hear
 - **NO** usable hearing in one ear
 - What is usable?
- BINAURAL advantage
 - Localization
 - Auditory perception
 - Hearing in noise
 - Sensory deprivation


www.JaneMadell.com



TECHNIQUES FOR IMPROVING AUDITORY ACCESS

- Frequency modification based on perception errors
- Digital programming
- Increased gain
- Earmold modifications
 - Horned earmolds
- Close microphone
- Multiple memories

www.JaneMadell.com



REPAIRING SPEECH PERCEPTION DEFICITS

- Auditory brain access with equipment
- Auditory exposure –
 - Listening age
 - Hrs/day equipment is worn
- Auditory environments
 - Do we need FM at home? Playground?
- Daily auditory enrichment and embellishment
 - Parent focused, guided by the Listening and Spoken Language Specialist (LSLS)

www.JaneMadell.com



HEARING AIDS FOR KIDS

- Flexible electroacoustic characteristics
 - Ability to increase output should hearing change
- Childproof battery compartment
- Childproof volume control – inactive
- Retention devices
- FM
- Compression?
- Directional mic?
- Extended warrantee
- Availabilities of loaners

www.JaneMadell.com



MEASURING OUTCOME

- Auditory awareness
- Audibility of speech
- Speech intelligibility
- Accuracy of speech production
- Rate of language acquisition
- Loudness discomfort
- Social development

www.JaneMadell.com



WHEN SHOULD OUTCOME BE MEASURED?

- Repeat measures
 - How often?
- Longitudinal monitoring
- Separating hearing changes from other factors
- When are adult outcome measures adaptable?

www.JaneMadell.com



THE MYTH OF "OVER"-AMPLIFICATION

- Where's the data?
- How much is too much?
- The importance of auditory access
- "Saving hearing" vs learning language
- The protection that hearing loss provides

www.JaneMadell.com



HOW DO YOU KNOW WHEN IT IS TIME TO MOVE TO A CI?

www.JaneMadell.com



TRANSITIONING FROM HEARING AIDS TO COCHLEAR IMPLANTS

- Evidence to support transitioning from HA's to CI's
 - Is the child receiving acoustic access to all frequencies at a sufficiently soft level to hear normal and soft conversation?
- Evidence that is irrelevant in determining the need for better acoustic accessibility
 - Child likes his hearing aids
 - Concern about cosmetics
 - Child's progress in language and academics
 - Why is this irrelevant?
 - What does it take to sustain progress, not just attain it.
 - Without good acoustic access the child will miss incidental information both inside and outside the classroom and will start to fall behind
 - Sustaining requires ongoing access to incidental knowledge and information in ever increasing complex and nuanced learning situations
- Can we wait?

www.JaneMadell.com



HOW DO YOU KNOW IT'S TIME TO MOVE FROM HA TO CI?

- Insufficient auditory access
 - Not hearing in the "string bean"
 - Not receiving high frequencies
 - FM dependent
 - Slow auditory progress
 - Slow language progress
 - Less than one year's gain in one year
- Critical periods
 - Sharma and Dorman's work

www.JaneMadell.com



BABIES

- Time is critical
- Severe is the new profound
- Good auditory access is critical for language learning
 - Limits of hearing only close speech
 - Overhearing
 - Hearing at a distance
 - Hearing in noise
- How young?
 - As soon as you are sure HA's are not sufficient

www.JaneMadell.com



DEGREE OF HEARING LOSS

- Severe
- Profound
- Auditory neuropathy spectrum disorder

www.JaneMadell.com



AGE

- FDA approval for 12 months
- Younger under special circumstances
 - Many centers in US implanting at 20 lbs (sufficient for reduced anesthesia risk) (6 months)
 - Australia implanting at 3 months
- No upper age limit

www.JaneMadell.com



DURATION OF HEARING LOSS

- Not a significant factor if other considerations make the person a candidate
- Ideal
 - Relatively short duration
 - Recent decline to severe-profound


www.JaneMadell.com



COMMUNICATION MODE

- Oral communicator
- Goal of developing auditory-oral skills
- Older children who rely on sign language and have not had auditory experience may not demonstrate open set skills.
 - *No part of the brain functions on it's own*


www.JaneMadell.com



BABIES AND YOUNG KIDS

- Enrolled in an auditory-oral / auditory verbal program
- TC program only if it is really “T”
 - with a significant auditory-verbal/auditory-oral component
- Parents willing to work on auditory development
- Reasonable expectations


www.JaneMadell.com



EARLY SCHOOL AGE

- Families often consider CI as kids start to struggle
- Sometimes after drop in hearing
- If kids have had good auditory development the transition is simple
- Recommendation – sooner rather than later

www.JaneMadell.com




TEENS

- Factors affecting results
 - Age of implantation
 - Duration of deafness
 - Mode of communication significant
- Kids with hearing aid experience on the unimplanted ear did better when they got a CI than the kids who did not have a HA on the unimplanted ear

NYU group, 2008


www.JaneMadell.com



TEENS

- Motivated to improve auditory status
- Willing to attend mapping and therapy
- Enrolled in an educational program which emphasizes auditory development
- Reasonable expectations
- Family support


www.JaneMadell.com



Importance of Auditory Access for Children


- Most children with hearing loss are educated in the mainstream
- These children are using audition to learn language
- It is essential for them to hear at sufficiently soft levels
 - To receive high frequency phonemes
 - To hear soft speech (35 dB HL)
- Typically children who are “borderline” candidates for a CI are dependent on audition for communication and language learning

www.JaneMadell.com




Results Summary

	Pre Op Aided	Post Op CI	p value
PTA Aided Better ear	39.5 dB <i>(27-58 dB)</i>	25.6dB <i>(15-40 dB)</i>	< 0.001
HFA aided Better ear	47.5 dB <i>(27-72 dB)</i>	23.3 dB <i>(17-30 dB)</i>	< 0.001
Wd recognition Poorer ear	23% <i>(0-54%)</i>	86.5% <i>(44-100%)</i>	<0.001
Wd recognition Better ear	55% <i>(16-85%)</i>		
Best Performance	57% <i>(24-95%)</i>	88% <i>(48-100%)</i>	<0.001

 79


Study Conclusions

- As a group there was a significant improvement in speech understanding as the result of CI
- Most Ss demonstrated substantially better performance following CI
- The CI provides access to more auditory information which can be expected to result in improved language learning as well as academic performance
- Further research should examine language learning and academic performance
- Centers may want to consider aided high frequency thresholds, and word recognition at softer levels in determining implant candidacy

 80

Expectations Post Implant Young Children

- Auditory development commensurate with hearing age
- Improved auditory thresholds and speech perception compared to what is possible with amplification
- Will continue to need therapy
- Other disabilities will be a factor in development


 81

RED FLAGS

 82


RED FLAGS: Basic Behavioral Observations

- Child not tolerating technology
 - Child resistant to wearing technology
 - Behavior management issues related to technology
- Behavioral observations
 - No response/poor response to sound
 - Hypersensitive to sound
 - Involuntary eye blinks/facial stim when wearing devices
- IF CHILDREN HEAR WELL WITH THEIR TECHNOLOGY, THEY SHOULD WANT IT ALL DAY, EVERY DAY!!**
- Parents (or other family members, esp. grandparents) are concerned about progress
 - Parents are often hesitant to express concerns
 - If parents are concerned we need to take their concerns seriously
 - Are they realistic?

 83

RED FLAGS: Ineffective Intervention


- Child and family are enrolled in **ineffective** intervention if the intervention:
 - Involves the child without involvement of the parents and family
 - Does not monitor technology **every** day
 - Does not follow a normal developmental model
 - Does not stress the development of audition as the basis of all speech and language

 84

Support effective intervention by :

- Monitoring parent education and training:
 - PARENTAL INVOLVEMENT AND EDUCATION ARE CRITICAL!!
 - Auditory based therapy model
 - Parents need to be involved in the therapy sessions and trained in sessions
 - Therapy for 1, 2 or even 3 hours does not replace parental involvement and reinforcement 24/7


www.JaneMadell.com



Support effective intervention by:

- Teaching technology monitoring / checking
 - Who is checking it daily?
 - Do parents, clinicians, and teachers have appropriate listening technology (hearing aid stethoscope, CI earbuds, CI listening check)?
 - Do parents know how to use the technology?
 - Do clinicians and teachers know how to use the technology?


www.JaneMadell.com



Support effective intervention by:

- Evaluating signs of difficulty noted by clinicians/parents
 - Not responding to high frequency stimuli
 - Poor high frequency responses
 - Distorted vowel production
 - Dropping certain consonants consistently
 - Speech sound deterioration
 - Mishearing
 - Increased "what?"
 - Reporting static
 - Any sudden and/or dramatic change in performance
- All members of the team listen to and respect input of other team members

www.JaneMadell.com



Support effective intervention by:

- **Hearing loss** limits access to speech and language; thus, the **hearing loss** creates the delayed speech and language.
 - Defined auditory component to therapy
 - Auditory skill development in appropriate sequence must be the focus of therapy
 - Auditory abilities are developed through the auditory modality
 - Parental guidance and coaching provided at every session for transfer to all settings


www.JaneMadell.com



RED FLAGS: Auditory observations

- Child does not tolerate technology
- Child cannot tolerate specific sounds/ noises
 - Water running (faucet, toilet flushing) dog barking, vacuum
- Skills from hearing aids do not readily transition and become skills with CIs
- Relies on visual input for skills
 - "watches like a hawk"
- Child does not respond to sound or to name
- Responding to less sounds with HAs on than with HAs off
- Responding to less sounds with CIs on than previously with HAs

www.JaneMadell.com



RED FLAGS: Speech Production


- Poor voice quality
 - Gravelly
 - Intensity - whispers or too loud or unable to produce whisper
 - Poor control of nasality
 - Poor pitch control
 - Vocalizations on inhale

www.JaneMadell.com



RED FLAGS: Speech Production

- Poor syllabification
- Poor vowel recognition
- Vowel development, but no consonant development
- Issues of concern regarding consonant development
 - Inappropriate/unusual consonant development
 - Limited variety of consonants

www.JaneMadell.com  91


RED FLAGS: Language Development

- Lack of development of “conversational” babbling / jargoning
- Babbling / jargoning, but no intelligible vocabulary or language development
- Receptive language development, but no parallel development of expressive abilities
- Expectation: one year’s growth in one year

www.JaneMadell.com  92


RED FLAGS: Deterioration of Skills

- Speech discrimination deteriorates
 - No longer demonstrates perception, discrimination or comprehension previously observed
- Speech production deteriorates
 - Unable to produce a phoneme previously mastered or emerging
- Vocabulary and language development plateau or regress


www.JaneMadell.com  93

NEVER ASSUME!!!!

- ALWAYS COLLECT DATA!!!
- Parent, teacher, and clinician data and documented observations are essential to appropriate remediation of the problems.
- We must **test** to begin to determine what is affecting progress.


www.JaneMadell.com  94

IF A CHILD HAS APPROPRIATE PARENTAL AND INTERVENTIONAL SUPPORT, THEN RED FLAGS POINT TO TECHNOLOGY ISSUES.

www.JaneMadell.com  95

TECHNOLOGY ISSUES FOR HEARING

- The most important use of our hearing is for speech and language perception.
- Very simply, speech and language perception issues result from one or more of four situations:
 - I did not understand because it was too quiet.
 - I did not understand because it was too loud.
 - I did not understand because it was not clear.
 - I did not understand because I do not have the language development.

www.JaneMadell.com  96

WHAT DOES TECHNOLOGY TELL US ABOUT HEARING?

- **Real ear measures and CI mapping do *NOT* tell you what the child is hearing!**
 - Real ear only tells you what is reaching the eardrum.
 - CI MAPs/NRT only tell how much electrical stimulation is being provided.
 - Real ear and CI MAPs tell you *nothing* about what the auditory brain hears!!


www.JaneMadell.com



IF HA AND CI PROGRAMS DO NOT TELL US WHAT A CHILD HEARS, THEN WHAT DOES?

- Children provide us with accurate and reliable information about what they hear:
 - When we observe and understand their behaviors
 - When we listen to what they say and how they say it
 - When they complete detailed audiological testing with an experienced pediatric audiologist
 - Parents, interventionists, teachers, family members, and friends are essential to this process


www.JaneMadell.com



POOR CLARITY


- English has approximately 44 phonemes (not just the Ling 6).
- Assess the majority of consonants.
- Assess vowels as needed.
- Assessing phoneme perception at 3 ft. and 10 ft. can identify specific areas of programming to change.
- Use the frequency allocation charts to identify the specific frequency bands needing change.
- Programming changes can and do lead to **IMMEDIATE** speech perception changes.

www.JaneMadell.com



QUESTIONS?

www.JaneMadell.com



Pediatric Audiology Casebook
Jane R. Madell
Carol Flemer



Thieme

Thieme Medical Publishers, Inc.
Order toll-free: 1-800-782-3488
Fax: 1-212-947-0108
www.thieme.com

www.JaneMadell.com

Pediatric Audiology
Diagnosis, Technology, and Management
Jane R. Madell
Carol Flemer
Second Edition



Thieme



www.JaneMadell.com

