Page Overview:

In wetrac batch input xml we have added WETRAC_ID to identify each child. So table B3_REF_STG and B3_REF_SRC we have added Wetrac_ID.

From Page Referral Inbox, if any b2c referral is processed, we store the wetrac_id from B3_REF_STG table to B3_REF_SRC table.

Creating new view with userid and pass
1. These are the data elements PPS will be sharing with Sound Beginnings for view creation:
- MCI
- First Name
- Last Name
- DOB
- Gender Description
- WE-TRAC ID
- IFSP Date
- Legal Guardian First Name
- Legal Guardian Last Name
- Legal Guardian Relationship
- Client Characteristic code (if DHH or DB)
- Client Characteristic description (If DHH or DB)
- Program Close Date
- Program Close Reason
- Provider Id
- Provider Name
- County Number
- County Name
- Program Participation Key
- Referral Source Sequence Number

- Social/Emotional Outcome
  - Entry Rating: Social/Emotional Outcome
  - Exit Rating: Social/Emotional Outcome
  - Progress
- Learning Outcome
  - Entry Rating: Learning Outcome
  - Exit Rating: Learning Outcome
  - Progress
- Getting Needs Met Outcome
  - Entry Rating: Getting Needs Met Outcome
  - Exit Rating: Getting Needs Met Outcome
  - Progress

No child outcome data will be shared externally without prior joint program approval.

2. The logic for creating the view will be:
   - View should contain all records that have we-trac id or (client characteristic of hard of hearing and/or deaf/blind). (This field could be blank if DHH or DB are not in PPS)

   - If the we-trac record has both deaf/blind and hard of hearing characteristic then pick deaf/blind.

   - We need the view is all of the episodes (files) that have occurred since a WETRAC referral. In other words, once a WETRAC always a WETRAC. Here is a sample of what would need to be selected if we were looking at the B3_REF_SRC table.

3. The onetime export for older records will contain the same data (columns) as the view.

Example:

PGM_PTCP_SK	REF_SRC_S EQ_NUM	IFSP_Date	WETRAC ID	Included in View	Client_Char_Desc
123456	1	30-May-12	null	No	
123456	2	27-JUN-12	null	Yes	DHH
123456	3	13-AUG-12	1064578	Yes	DHH
123456	4	06-OCT-12	null	Yes	DHH

Include in the view those files that do not have a WE-TRAC id (not referred by WE-TRAC) and have client characteristics of hard of hearing (DHH) or deaf/blind (DB).

4. The onetime export for older records will contain the same data (columns) as the view.

View Name
V_B3_REF_SRC_WETRAC

View Field Names:

Field Name	DataType	Size	Entity.Attribute
MCI_ID	CHAR	10 BYTE	INDV. MCI_ID
FirstName	VARCHAR2	20 BYTE	INDV. fst_nam
LastName	VARCHAR2	20 BYTE	INDV. last_nam
BirthDate	Date		INDV. brth_dt
Gender	VARCHAR2	250 BYTE	INDV. gndr_cd
WETRAC_ID	VARCHAR2	20 BYTE	b3_ref_src.wetrac_id
IFSP_Date	Date		B3_BSLN_ASES.init_ifsp_strt_dt
Legal_Guardian_First_Name	VARCHAR2	20 BYTE	B3_CHLD_DGRPH.prnt_lgl_gard_fst_nam
Legal_Guardian_Last_Name	VARCHAR2	20 BYTE	B3_CHLD_DGRPH.prnt_lgl_gard_last_nam
Legal_Guardian_Relationship	VARCHAR2	250 BYTE	B3_CHLD_DGRPH.prim_care_gvr_rlt_cd
Client_Char_code.	CHAR	3 BYTE	B3_CLNT_CHAR. char_1_cd
Client_Char_desc	VARCHAR2	250 BYTE	B3_CLNT_CHAR. char_1_cd

program_close_dt	Date		B3_PGM_EXIT.pgm_clse_dt
program_close_reason	VARCHAR2	250 BYTE	B3_PGM_EXIT.pgm_clse_rsn_cd
Provider_id	Number	4 Byte	b3_ref_src.agcy_id_sk
Provider_Name	VARCHAR2	100 BYTE	Agcy. agcy_nam
County_number	CHAR	4 BYTE	b3_ref_src. resp_cnty_cd
County_Name	VARCHAR2	250 BYTE	Lkup. LKUP_DSC
pgm_ptcp_seq	Number	8 bytes	b3_ref_src.pgm_ptcp_sk
ref_src_seq_num	Number	4 bytes	b3_ref_src.ref_src_seq_num

Attached the View Sample.

Wetrac_View.sql